

Package: indiedown (via r-universe)

October 10, 2026

Type Package

Title Individual R Markdown Templates

Version 0.1.1.9061

Description Simplifies the generation of customized R Markdown PDF templates. A template may include an individual logo, typography, geometry or color scheme. The package provides a skeleton with detailed instructions for customizations. The skeleton can be modified by changing defaults in the 'YAML' header, by adding additional 'LaTeX' commands or by applying dynamic adjustments in R. Individual corporate design elements, such as a title page, can be added as R functions that produce 'LaTeX' code.

License MIT + file LICENSE

URL <https://indiedown.cynkra.com/>, <https://github.com/cynkra/indiedown>

BugReports <https://github.com/cynkra/indiedown/issues>

Depends R (>= 4.0.0)

Imports cli, fs, gfonts, rlang, withr

Suggests callr, knitr (>= 1.12), rcmdcheck, rmarkdown, rstudioapi, spelling, testthat (>= 3.0.0), tinytex

VignetteBuilder knitr

Config/testthat/edition 3

Encoding UTF-8

Language en-US

Roxygen list(markdown = TRUE)

Config/Needs/website cynkra/cynkratemplate

Config/roxygen2/version 8.1.1.9000

Config/pak/sysreqs cmake make libuv1-dev libssl-dev zlib1g-dev

Repository <https://cynkra.r-universe.dev>

Date/Publication 2026-10-10 21:51:48 UTC

RemoteUrl `https://github.com/cynkra/indiedown`
RemoteRef `HEAD`
RemoteSha `d571c532d5cf902b41c2080493f9e227c7b7a0e0`

Contents

create_indiedown_package	2
dr_down	3
use_indiedown_gfonts	3
Index	5

create_indiedown_package
<i>Skeleton for a Customized R Markdown Template</i>

Description

Set up the packages structure for an indiedown-based customized R Markdown template. See vignette("indiedown") for a more detailed usage example.

Usage

`create_indiedown_package(path, overwrite = FALSE)`

Arguments

path	Package path
overwrite	Should existing assets be overwritten?

Value

This function is called for its side effects and returns NULL, invisibly.

Examples

```
path <- file.path(tempdir(), "mydown")  
  
# set up empty R Package 'mydown'  
create_indiedown_package(path, overwrite = TRUE)
```

dr_down	<i>Hardware report (experimental)</i>
---------	---------------------------------------

Description

dr_down analyzes the R markdown capabilities of the hardware.

Usage

```
dr_down()
```

Examples

```
## Not run:  
  indiedown::dr_down()  
  
## End(Not run)
```

use_indiedown_gfonts	<i>Download and Use Google Fonts</i>
----------------------	--------------------------------------

Description

Download and use Google fonts, using the *gfonts* package.

Usage

```
use_indiedown_gfonts(  
  path = ".",  
  id = "roboto",  
  variants = c("regular", "300italic", "700", "700italic")  
)
```

Arguments

path	Package path
id	Id of the font, correspond to column id from get_all_fonts .
variants	Variant(s) to download, default is to includes all available ones.

Value

This function is called for its side effects and returns NULL, invisibly.

Examples

```
path <- file.path(tempdir(), "mydown")
create_indiedown_package(path, overwrite = TRUE)
# Use Lora, instead of default Roboto
use_indiedown_gfonts(
  path = path,
  id = "lora",
  variants = c("regular", "italic", "700", "700italic")
)
```

Index

`create_indiedown_package`, [2](#)

`dr_down`, [3](#)

`get_all_fonts`, [3](#)

`use_indiedown_gfonts`, [3](#)